

NEROLAC
PROTEC-X™

PREMIUM PROTECTION



615 -1 STEP XTREME CUTTING

Compound Type	Cutting Compound
Product Type	One Step removal of sanding marks to produce a high gloss finish
Highlights	High Cutting Action
Paper Marks (Suitability to remove sanding marks)	P1200-1500
Swirl Marks (What is the recommended Steps)	615 followed by 950 compound
Viscosity	High
Water Based/ Solvent Based	Water
Use of Water Spray while polishing	No
Type of Pads Recommended	Foam Cutting Pad or Wool Pad
Where to Use	All Clearcoats and Solid colour finishes



313 - SPEED CUT

Compound Type	Cutting Compound
Product Type	One Step removal of sanding marks to produce a high gloss finish
Highlights	Medium Cutting Action
Paper Marks (Suitability to remove sanding marks)	P1500
Swirl Marks (What is the recommended Steps)	313 followed by 950 compound
Viscosity	Medium
Water Based/ Solvent Based	Water
Use of Water Spray while polishing	No
Type of Pads Recommended	Foam Cutting Pad or Wool Pad
Where to Use	All Clearcoats and Solid colour finishes



950 - XTREME GLAZE

Compound Type	Finishing Glaze
Product Type	Removal of Swirl Marks
Highlights	Treatment of Swirl Marks and Restoration
Paper Marks (Suitability to remove sanding marks)	NA
Final finish	Xtreme Wax
Viscosity	Medium
Water Based/ Solvent Based	Water
Use of Water Spray while polishing	No
Type of Pads Recommended	Soft Black Waffle Pad
Where to Use	All Clearcoats and Solid colour finishes



XTREME WAX

Compound Type	Wax
Highlights	High Gloss Finish and Protection up to 4 months
Viscosity	High
Water Based/ Solvent Based	Water
Use of Water Spray while polishing	No
Type of Pads Recommended	Hand Pad/Microfibre Cloth
Where to Use	All Clearcoats and Solid colour finishes



Xtreme Ceramic Coating & Glass Coating



FOR BODY



FOR ALLOY



FOR GLASS



**ULTIMATE
TENSILE STRENGTH**



**UV
PROTECTION**



**SUPERIOR
GLOSS & FINISH**



KANSAI NEROLAC PAINTS LIMITED

A SUBSIDIARY OF KANSAI PAINT CO. LTD., JAPAN

Marathon Mill Compound, N M Joshi Marg,
Lower Parel, Mumbai-400013

www.nerolac.com